



PRM Deniz Şanzımanları Güç Kademeleri Bilgileri

Model	Şaft Tipi	Oran İleri/Geri	Azami Giriş Hızı Devir/Dakika		Bilinen Güç Değerleri 100 Devir/Dakika					
			Devamlı	Kesintili	Tenezzüh		Hafif Ticari		Ağır Ticari	
					Kw	BHP	Kw	BHP	Kw	BHP
Prm80	Çift Eksen	2.04:1	5000	-	0.84	1.12	0.55	0.74	-	-
		2.50:1	5000	-	0.73	0.98	0.48	0.65	-	-
Prm120	Çift Eksen	2.04:1	5000	-	1.25	1.67	0.68	0.91	-	-
		2.50:1	5000	-	1.00	1.34	0.68	0.91	-	-
		2.94:1	5000	-	0.83	1.11	0.58	0.77	-	-
Prm150	Çift Eksen	1.53:1	4500	5000	1.6	2.1	1.1	1.5	-	-
		2.09:1	4500	5000	1.6	2.1	1.1	1.5	-	-
		2.82:1	4500	5000	1.6	2.1	1.1	1.5	-	-
Prm260	Çift Eksen & Düz Eksenli	1.963:1	4000	4500	2.72	3.65	2.51	3.36	2.31	3.08
		2.941:1	4000	4500	2.72	3.65	2.51	3.36	2.31	3.08
Prm500	Çift Eksen	1.459:1	4000	4500	4.76	6.38	4.62	6.19	4.40	5.90
		1.935:1	4000	4500	4.76	6.38	4.62	6.19	4.40	5.90
		2.565:1	4000	4500	4.62	6.19	4.40	5.90	4.40	5.90
		2.904:1	4000	4500	4.62	6.19	4.40	5.90	4.40	5.90
Prm750	8° Açılı	1.09:1	4000	4500	7.17	9.62	5.68	7.62	5.39	7.23
		1.459:1	4000	4500	7.17	9.62	5.68	7.62	5.39	7.23
		1.935:1	4000	4500	7.07	9.48	5.68	7.62	5.39	7.23
		2.565:1	4000	4500	7.07	9.48	5.68	7.62	5.39	7.23
		2.904:1	4000	4500	5.96	8.00	5.60	7.51	5.24	7.02
Prm750		1.09:1	4000	4500	7.85	10.52	6.07	8.13	5.86	7.85
		1.459:1	4000	4500	7.85	10.52	6.07	8.13	5.86	7.85



	Çift Eksen & Düz Eksenli	1.935:1	4000	4500	7.07	9.46	5.86	7.85	5.55	7.43
		2.565:1	4000	4500	7.07	9.46	5.86	7.85	5.55	7.43
	3.95:1 Düz Eksenli Hariç	2.904:1	4000	4500	5.96	8.00	5.60	7.50	5.24	7.02
		3.952:1	4000	4500	5.96	8.00	5.60	7.50	5.24	7.02
<u>Prm1000d</u>	Sadece Çift Eksen	1.528:1	3000	3500	10.47	14.04	7.75	10.39	7.33	9.82
		2.033:1	3000	3500	9.43	12.64	7.44	9.96	7.02	9.40
		2.857:1	3000	3500	8.58	11.50	7.44	9.96	7.02	9.40
		4.000:1	3000	3500	8.58	11.50	7.44	9.96	7.02	9.40
<u>Prm1000a</u>	10° Açılı	1.528:1	3000	3500	9.66	12.95	7.10	9.52	6.67	8.95
		2.033:1	3000	3500	9.43	12.64	7.10	9.52	6.67	8.95
		2.857:1	3000	3500	8.58	11.50	7.10	9.52	6.67	8.95
<u>Prm1500d</u>	Çift Eksen	3.12:1	2500	3000	15.70	21.06	14.65	19.65	13.63	18.28
		3.88:1	2500	3000	15.70	21.06	14.65	19.65	13.63	18.28
		4.50:1	2500	3000	15.70	21.06	14.65	19.65	13.63	18.28
		4.90:1	2500	3000	13.63	18.28	12.58	16.87	11.53	15.46
<u>Prm1500s</u>	Çift Eksen	1.22:1, 1.56:1	2500	3000	15.70	21.06	14.65	19.65	13.63	18.28
		1.94:1, 2.25:1	2500	3000	15.70	21.06	14.65	19.65	13.63	18.28
		2.45:1	2500	3000	15.70	21.06	14.65	19.65	13.63	18.28
		3.0:1	2500	3000	14.12	18.93	13.07	17.52	11.76	15.77
<u>Prm1750d</u>	Çift Eksen	3.12:1	2500	3000	24.58	18.33	22.85	17.04	21.13	15.76
		3.88:1	2500	3000	24.58	18.33	22.85	17.04	21.13	15.76
		4.50:1	2500	3000	24.58	18.33	22.85	17.04	21.13	15.76
		4.90:1	2500	3000	22.48	16.76	20.89	15.58	19.32	14.41
<u>Prm1750s</u>	Çift Eksen	1.22:1, 1.56:1	2500	3000	24.58	18.33	22.85	17.04	21.13	15.76
		1.94:1, 2.25:1	2500	3000	24.58	18.33	22.85	17.04	21.13	15.76
		2.45:1	2500	3000	24.58	18.33	22.85	17.04	21.13	15.76



		3.0:1	2500	3000	24.58	18.33	22.85	17.04	21.13	15.76
--	--	-------	------	------	-------	-------	-------	-------	-------	-------

Elinizdeki PRM Deniz Şanjmanı bu listede değil ise üretimden kalkan eski modeller listesine bakınız.